

## CUMULATIVE INDEX 2000

### Volume 19

---

January MANAGEMENT OF THE UNSTABLE SHOULDER:  
ARTHROSCOPIC APPROACHES TO THE NEXT MILLENNIUM,  
pages 1-162

April THE ATHLETIC WOMAN, pages 163-385

July THE DISLOCATED KNEE, pages 387-576

October PEDIATRIC AND ADOLESCENT SPORTS INJURIES: DIAGNOSIS,  
MANAGEMENT, AND PREVENTION, pages 577-848

---

Note: Page numbers of article titles are in **boldface** type

Absorptiometry, to measure bone mass, 238

Abuse, definitions of, 188-189

Achilles' tendinitis, in dancers, 730-731  
in skaters, 748

Achilles' tendinosis, in dancers, 363-364

Acromion, apophysitis of, in adolescents, 689  
development of, 689

Adapted sports programs, 795

Adolescents, sports-related injuries in,  
**577-619**  
strength training for, **593-619**

Amateur Sports Act of 1978 (Amateur  
Sports Act), 163-164

Amenorrhea, in athlete, 202

Amputation(s), athlete with, 813-815  
of lower extremity, 807  
of upper extremity, 806

Anesthesia, examination under, in  
shoulder instability, 34

interscalene block, for Bankart lesion re-  
pair, 52

Ankle, and foot, injuries of, in dance,  
**351-368**

fractures of, in children, 649, 653

injuries of, in skaters, 750  
in tennis players, 789

sprains of, in dance, 352-354, 733-734  
injuries mimicking or accompa-  
nying, 353

treatment of, 354, 734

in gymnasts, 775-776

previous, and overuse dance injuries, 360

Anorexia nervosa, 200

diagnostic criteria for, 200

Anterior cruciate ligament. See *Cruciate  
ligament, anterior*.

Apophysitis, in children, 651-654  
in gymnasts, 774, 778

Arch supports and orthoses, for treatment  
of patellofemoral pain syndrome,  
320-321

Arthroscope(s), for shoulder surgery,  
history of, 49-50

Arthroscopic devices, for arthroscopic  
Bankart lesion repair, 55, 56-57, 60, 61

Arthroscopic evaluation, in shoulder  
instability, 34-35

Arthroscopic repair, and mini-open repair  
of rotator cuff. See *Rotator cuff, repair  
of, mini-open, and arthroscopic*.

of Bankart lesion, **49-62**

of posterior capsule. See *Shoulder capsule,  
posterior, arthroscopic repair of*.

versus open Bankart repair, for shoulder  
instability, **19-48**

Arthroscopic staple capsulorrhaphy, 28, 29

Arthroscopic technique(s), for subacromial  
decompression, 77-78

in shoulder instability, 28-32

Arthroscopy, approaches in, for  
management of unstable shoulder,  
**1-158**

diagnostic, in injuries of ACL-PCL-MCL  
complex of knee, 485

Arthroscopy, for medial capsulolabral complex repair, 49–50

Asthma, in figure skaters, 377

Athlete(s), female. See *Female athletes; Woman (women), in sports.*

in wheelchair. See *Wheelchair athlete.*

overhead, shoulder injuries in, 125–158

with amputations, 813–815

with sensory impairment, 815–817

young, back injuries in, 663–679

- injuries of head and neck in, 693–715
- shoulder injuries in, 681–692
- with physical challenges, 793–819
- classification systems for, 800–801, 802, 803, 804–805, 806, 808
- creation of level playing field for, 800–801
- definitions associated with, 794
- Paralympics and, 793–794
- participation possibilities for, 796–797
- preparticipation evaluation for, 795–799
- value of sports involvement for, 794

Athletic performance, oral contraceptives and, 265–266

Athletic woman, 163–380

Avulsion fractures, in children, 651–654

  

Back, and trunk, injuries of, in tennis players, 787–788

fractures of, initial immobilization in, 664

- radiography in, 664
- treatment of, 665

injuries of, acute, in young athlete, 664–666

- in young athlete, 663–679
- lower, injuries of, in figure skaters, 376–377

Back pain, atraumatic causes of, 675

- low, discogenic, in gymnasts, 772–773
- in dancers, 717–725
- prevention of, 724–725
- low lordotic, 672

Ballet, injuries associated with, 351, 365

maneuvers in, and injuries of foot and ankle, 352

Bankart lesion, arthroscopic repair of, 49–62

- anatomic considerations for, 50–51
- benefits of, 50
- surgical techniques for, 51–59
- with staple technique, 28, 29
- definition of, 50

Bankart repair, open, versus arthroscopic repair, for shoulder instability, 19–48

Baseball, type 2 SLAP injuries associated with, 125

Bertolotti's syndrome, 673

Bioabsorbable implants, cannulated, for repair of shoulder instability, 29–30

Bioabsorbable polyglycolic acid tack, for Bankart lesion repair, 52

Biomechanics, and overuse injuries in dancers, 358–359

Biphosphonates, osteoporosis and, 243

Blood vessels, iatrogenic injury to, in operatively treated dislocations of knee, 529–530

injuries of, associated with dislocations of knee, 393–394, 401–403, 520–521

of knee, injury of, magnetic resonance imaging in, 434–437

repair of, in high-velocity dislocations of knee, 470–472

Body fat myths, dispelling of, 204–205

Bone health, 233–237

- and osteoporosis, 233–249
- of peri- and postmenopausal women, 217–218

Bone injuries, sports-related, in children, 643–658

Bone loss, adult, minimizing of, 235–237

Bone mass, low, treatment options in, 240–244

- measurement of, 237–238
- peak, maximizing of, 234–235
- strength training and, 600

Bone mineral density, assessment of, 237

- indications for, 239–240
- exercise and, 179–180, 217
- oral contraceptives and, 263
- osteoporosis and, 263
- stress fractures and, 304–305, 306

Bone remodeling, 233–234

Boots, figure skating, 746–747, 748–749

Bracing, in spondylolysis, 723, 751

Brain injury(ies), causes of, 697–698

- types of, 700–707

Bronchospasm, exercise-induced, in figure skaters, 377, 753

Bulimia nervosa, 200

- diagnostic criteria for, 201
- "Burners," 708–709

  

Calcitonin, osteoporosis and, 242–243

Calcium supplementation, bone mass and, 240–241

Cancer, risk for, exercise and, 177–178, 181–182

Cannulated bioabsorbable implants, for repair of shoulder instability, 29–30

Capsular shift, inferior, for multidirectional shoulder instability, 64

Capsular shift technique, arm positioning for, 5

indications for, 3–4  
 postoperative protocol for, 13–14  
 potential problems associated with, 5–6  
 results of, 14  
 selective, for anterior-inferior glenohumeral instability, 1–17  
 surgical principles for, 4–6  
 surgical technique in, 6–13

*Capsule, shoulder.* See *Shoulder capsule*.

*Capsulitis*, 764  
 following operative treatment of knee dislocations, 536

*Capsulolabral complex, medial, repair of, arthroscopy for*, 49–50

*Capsulorrhaphy, arthroscopic staple*, 28, 29

*Cardiovascular physiology, of men and women*, differences in, 181

*Cardiovascular system, adaptations of, to pregnancy*, 279  
 changes in, postpartum persistence of, 279–281  
 disease of, exercise and, 176–177  
 exercise during pregnancy and, 281–282  
 oral contraceptives and, 263–264

*Cervical spine.* See *Spine*.

*Child(ren), and metabolic and psychological aspects of childhood*, 638  
 dislocations of knee in, 528  
 endogenous risk factors for, 638  
 lower limb injuries in, in sports, 637–662  
 musculoskeletal system in, 638  
 sports-related injuries in, 577–834  
 prevention of, 821–834  
 strength training for, 593–619

“Circle concept,” of shoulder injuries in overhead athletes, 144–145

*Clavicle, distal, injuries of, in children*, 683  
 fractures of, in childhood, 682–683

*Closed kinetic chain actions*, 227

*Closed kinetic chain exercises, for rehabilitation of multiple-ligament-injured knee*, 546–547, 548–550, 552, 553

*Coach, of female athletes, risk factors associated with*, 193

*Coaching of sports, education in*, 826

*Compartment syndrome, chronic, in young athletes*, 639–640  
 in dislocation of knee, 523–524

*Complex regional pain syndrome*, 534

*Computed tomography, of shoulder instability*, 34

*Concussion, definition of*, 700–701  
 grading of, 701  
 postconcussion syndrome and, 702  
 recognition and initial management of, 702  
 return to play following, 703  
 second impact syndrome and, 703

*Conditioning, level of, noncontact anterior cruciate ligament injuries and*, 293–294  
 before sports specific training, 603, 604

*Contusions, in adolescents*, 666

*Cruciate ligament, anterior, anatomy of*, 418–419  
 and posterior, combined early reconstruction of, in knee dislocation, 409–410  
 biomechanical alignment of, 292–293  
 disruption of, examination of, 419  
 injuries of, epidemiology of, 288  
 extrinsic factors in, 293–295  
 healing of, 444–445

*Hunt Valley consensus symposium on*, 297–298  
 in immature patient, 621–625  
 ACL reconstruction in, 624–625  
 diagnosis of, 622–623  
 nonoperative treatment of, 624–625  
 surgical treatment of, 624  
 treatment goals in, 623  
 intrinsic factors in, 288–293  
 prevention of, 295–296  
 laxity of, hormonal influences on, 289–292  
 injuries associated with, 288–289  
 noncontact injuries of, gender differences in, 287–302  
 reconstruction of, guidelines for rehabilitation following, 561, 564–565  
 rupture of, intercondylar notch width and, 293  
 surgical reconstruction of, 296–297  
 graft choice for, 297

posterior, anatomy of, 419–420  
 and anterior, combined early reconstruction of, in knee dislocation, 409–410  
 disruption of, 420  
 early reconstruction of, in knee dislocation, 408–409  
 injuries of, healing of, 445  
 reconstruction of, guidelines for rehabilitation following, 557–561, 562–563

*Cuboid, subluxation of, in dancers*, 353–354

*Cycling, head and neck injuries associated with*, 696  
 stationary, during pregnancy, 276

*Cysts, meniscal, in immature patient*, 626

*Dance, acute traumatic injuries associated with*, 351–356  
 ankle sprains in, 352–354

Dance (*Continued*)  
 injuries mimicking or accompanying, 353  
 treatment of, 354  
 foot and ankle injuries in, 351–368  
 Dancers, fractures of fifth metatarsal in, 355–356  
 lifting by, position for, 719  
 overuse injuries in, 356–365, 729  
 extrinsic factors in, 357  
 intrinsic factors in, 357–365  
 sprains of midfoot in, 354–355  
 stress fractures in, 356, 362–363, 728–730  
 young, 717–739  
 "Dancer's fracture," 356  
 "Dead arm," 125  
 definition of, 126  
 impingement of glenohumeral ligament and, 127–128  
 kinetic chain contributions to, 147–148  
 "shoulder at risk" for, 154–155  
 treatment of, history of, 126  
 Dehydration, and exercise by women, 218–219  
 Disablement models, 545  
 Disc, degeneration, 674–675  
 derangement, internal, 675  
 herniation, acute, 665–666  
 Dorsal wrist ganglia, 764  
 Down's syndrome, hypermobility of spine in, 708  
 Dyskinesis, scapular, 149–151

Eating, disordered. *See Eating disorders.*  
 Eating disorders, and female athlete triad, 199–213  
 in female athletes, 199–202  
 criteria for, 200  
 underreporting of, 203  
 in figure skaters, 377–378  
 Education Amendments of 1972 (Title IX), 163–164  
 Elbow, acute dislocation of, in gymnasts, 767–768  
 injuries of, in tennis players, 787  
 lateral, pain in, in gymnasts, 765, 766  
 medial, pain in, in gymnasts, 766–767  
 posterior, pain in, in gymnasts, 767  
 Elderly, exercise by, 178–179  
 Endurance training, effects of, on older woman, 221–222, 223  
 Energy metabolism, oral contraceptives and, 264–265  
 Epiphyseal injuries, sports-related, in children, 643–645, 652, 653  
 Epiphyseal plate, injury to, in children and adolescents, 606  
 Equipment, for figure skating, 746–747

for strength training of children and adolescents, 608–609  
 for wheelchair athletes, 813  
 gymnastic, changes in, 759–760  
 Estrogen, actions of, 252–253  
 Estrogen receptor modulators, osteoporosis and, 243  
 Estrogen replacement therapy, osteoporosis and, 241  
 Exercise(s), barriers to, for older woman, 219–221  
 benefits of, for older woman, 221–224  
 for women, general observations on, 183  
 bone mineral density and, 179–180, 217  
 by population over 65 years of age, 178–179  
 cancer risk and, 177–178  
 cardiovascular benefits of, 176–177  
 unique to women, 181  
 closed kinetic chain, for rehabilitation of multiple-ligament-injured knee, 546–547, 548–550, 552, 553  
 during pregnancy. *See Pregnancy, exercise during.*  
 effect of, on menstrual function, 180–181  
 for rehabilitation of musculoskeletal injury, 183  
 for strength training of children and adolescents, choice of, 609–611  
 for women, benefits of, 175–185, 221–224  
 gender-specific benefits of, 179–183  
 guidelines for, 175  
 gender-independent benefits of, 176–179  
 mental health benefit of, 179  
 open kinetic chain, for rehabilitation of multiple-ligament-injured knee, 546–548, 549, 552, 553  
 overall mortality and, 176  
 resistive, for rehabilitation of multiple-ligament-injured knee, 552–553  
 shoulder strengthening, 341, 342  
 strength training, for improving function, 227–228  
 stretching and strengthening, for dancers, 724–725  
 Exercise prescription, for peri- and postmenopausal years, 224–229  
 Exercise program(s), opportunities for involvement in, 227  
 successful, recommendations for, 224–229  
 training volume of, and diet, during pregnancy, 278–279  
 Experience, level of, noncontact anterior cruciate ligament injuries and, 294  
 Extension injuries, in adolescents, 670–674

Facet syndrome, 673

Female, American stereotype of, change in, 164-166

Female athlete triad, components of, 199-203

- disordered eating and, 199-213
- in gymnasts, 758-759
- in skaters, 752-753
- physical and psychologic screening for, 207-209
- prevalence of, 203-204
- prevention of, 204-207
- therapeutic intervention for, 209-211

Female athletes, coach of, risk factors associated with, 193

harassment, sexual abuse, and safety of, 187-198

injuries to, factors contributing to, 171

medical examination for, 208-209

multidirectional instability of shoulder in, 331-349

nutrition assessment for, 209

patellofemoral pain syndrome in, 315-329

physical activity assessment for, 209

psychosocial history of, 209

risk factors associated with, 192-193

safety guidelines for, 194-195

Femoral fractures, in children, 646, 647-649

Fibula, stress fractures of, 728-730

Fibular growth plate, distal, fracture of, in gymnasts, 777

Figure skaters, equipment of, and development of injuries, 373

- female, injuries in, and special concerns of, 369-380
- prevention of, 373
- types of, 373-377
- patellofemoral syndrome in, 375-376
- musculoskeletal injuries in, 372
- nutrition for, 371-372
- strength training for, 370-371

Figure skating, as lifetime sport, 742

- competitive, demands of, 370
- disciplines in, 742-744
- for women, 369
- competitive success in, requirements for, 742
- equipment for, 746-747
- gender differences and, 747-748
- history of, 741-742
- life issues in, 753-754
- medical issues in, 752-753
- musculoskeletal injuries associated with, 748-752
- recreational versus competitive, 744-745
- training in, 745-746

Fitness, lifetime of, 215-232

Flexion injuries, 674-675

Flexor hallucis longus tendinitis, 732

Flexor hallucis longus tendon dysfunction, in dancers, 363

Fluid extravasation, in operatively treated dislocations of knee, 531

Foot (feet), and ankle, injuries of, in dance, 351-368

- functional movements of, assessment of, in dancers, 361-362
- injuries of, in children, 642, 649-651, 655
- in figure skaters, 374-375
- in tennis players, 789

Football, high school, head and neck injuries associated with, 695

Forearm, injuries of, in gymnasts, 764-765

Fracture-dislocations, of knee, 526, 527

Fracture(s). See also specific sites and types of fractures.

- associated with dislocations of knee, 525-526
- spinal, 707
- sports-related, in children, 646-654

Glenohumeral dislocation/instability, incidence of, 686

Glenohumeral instability, anterior-inferior, selective capsular shift technique for, 1-17

SLAP lesions and, 118

successful surgical procedures for, goals of, 1-2

Glenohumeral joint, examination of, for arthroscopic repair of posterior capsule, 105

- for arthroscopic repair of rotator cuff, 80-82
- instability of, atraumatic, 688
- stabilizers of, 686-687
- traumatic anterior dislocations of, 687-688
- voluntary dislocation of, 688

Glenohumeral ligament(s), anatomy of

- insertions of, 118
- functions of, 2
- impingement of, "dead arm" and, 127-128
- in shoulder instability, 21

Glenohumeral ligament complex, functional anatomy of, 51

Glenoid bone loss, 26-27

Glenoid labrum, and Bankart lesion, 23-24

- anterosuperior, 24-25
- fixation of, historical review of, 27
- superior, anatomy of, 115-116
- anterior and posterior lesions of, 115-124. See also *SLAP lesion(s)*.

in rotator cuff disease, 117-118

operative techniques for repair of, 118-123

Glenoid labrum (*Continued*)  
 postoperative management following repair of, 123  
 symptoms of, 116–117  
 technical challenges in repair of, 122–123  
 lesions of, rehabilitation in, 153  
 pathology of, 116–118  
 suspected lesions of, evaluation of, 151–152  
 tears of, and injuries in overhead throwing, 127

Golf, head and neck injuries associated with, 696–697

Gymnastics, equipment changes in, and evolution of, 759–760

Gymnast(s), female athlete triad in, 758–759  
 injuries in, epidemiology of, 758  
   in lower extremities, 773–778  
   in upper extremities, 760–773  
 young, 757–780

Hallux rigidus, in dancers, 735–736

Hand, injuries of, in gymnast, 760–761

Head and neck, injuries of, epidemiology of, 693–694  
 in organized sports, 695–696  
 in recreational sports, 696–697  
 in young athletes, 693–715  
 pathophysiology of, 697–700  
 sports with highest rates of, 694

Health care team, for female athlete, 206–207

Hearing impairment, athletes with, 816–817

Hematoma, epidural, 705  
 intracerebral, 706  
 subarachnoid, 706–707  
 subdural, 705–706

Hemodynamic stress, physiologic advantage during pregnancy, 281–282

Hemorrhage, intracranial, 704–707

Hill-Sachs lesion, 26

Hip, dislocation of, in children, 640–642  
 injuries of, in skaters, 751

Hormonal status, in overuse injuries in dancers, 358

Hormone replacement therapy, stress fractures and, 305–307

Horseback riding, head and neck injuries associated with, 697

Humeral bone loss, 26

Humerus, proximal, fractures of, in children, 684–685

Hyperlordosis, in dancers, 718, 719–720

Iliopsoas tendinitis, 725–726

Injections, intra-articular, for treatment of patellofemoral pain syndrome, 321–322

Injuries, sports-related. *See Sports-related injuries.*

Instruments, for repair of SLAP lesions, 118–119

International Association for Study of Pain, disorders of sympathetic nervous system and, 534–535

Intracranial hemorrhage, 704–707

Intrapatellar contracture syndrome, following operative treatment of knee dislocations, 536

Iselin's apophysitis, in gymnasts, 778

Jobe relocation test, 130, 131, 136, 145

Joint injuries, lower limb, in children, 640–642

Kinetic chain dysfunction, and overuse dance injuries, 360, 365

Kinetic chain scapular exercise(s), 153–154

Knee, ACL-PCL-MCL complex of, anatomy and biomechanics of, 479–480  
 combined injury to, surgical treatment of, 479–492  
 injuries of, surgical technique in, 483–489  
   diagnostic arthroscopy in, 485  
   examination under anesthesia for, 485  
   final fixation in, 488  
   graft passage in, 488  
   patient positioning for, 484  
   postoperative rehabilitation in, 488–489  
   surgical approach for, 485–487  
   treatment approach to, 482–483  
   treatment results in, 489–490  
 acute injuries of, 621–635  
 acutely injured, initial evaluation in, 416–417  
 combined ACL-MCL injury of, guidelines for rehabilitation of, 556–557, 558  
 combined ACL-PCL-lateral side injuries of, complications of, 500  
 diagnostic arthroscopy in, 495  
 graft selection for, 496  
 imaging studies in, 495  
 initial evaluation in, 494–495  
 mechanisms of injury in, 493–494  
 reconstruction of, rehabilitation following, 499

results of, 500  
 surgical indications in, 495–496  
 surgical technique for, 496–499  
 surgical timing in, 496  
 treatment of, 493–502  
 dislocated, 387–571  
 dislocation(s) of, and dislocation of proximal tibiofibular joint, 527  
 anterior of, 389–391  
 associated fractures in, 525–526  
 causes of, 400  
 classification of, 389–393, 400, 416  
 compartment syndrome in, 523–524  
 congenital, 395  
 definition of, 387, 400  
 delay in diagnosis of, 523  
 epidemiology of, 387–397  
 high-velocity, classification of, 464–465  
 initial treatment in, 465–470  
 ligamentous injuries in, treatment of, 474–475  
 mechanisms of injury in, 459  
 neurologic injuries in, treatment of, 472–473  
 origins of, 457–459  
 physical examination in, 459–461  
 radiographic studies in, 461–464  
 vascular repair in, 470–472  
 with vascular injury, principles of treatment in, 457–477  
 history of, 520  
 in children, 528  
 incidence of, 388–389, 399, 519  
 indications of, 523, 524  
 lateral and medial, 392–393  
 ligament injury in, 404–410  
 nonoperative treatment of, 404–406  
 operative treatment of, 406–410  
 low-velocity, with sports injuries, 443–456  
 mechanisms of injury in, 519  
 medial side, greater than 2+ posterior laxity, 449–450  
 with 2+ or less posterior laxity, 449  
 neurologic injuries associated with, 394–395, 403–404, 521–532  
 nonoperative and operative management of, complications of, 519–543  
 nonoperative complications of, 520–528  
 open, 523–525  
 operative complications of, 528–539  
 operatively treated, fluid extravasation in, 531  
 history of, 503  
 iatrogenic nerve injury in, 530–531  
 iatrogenic vascular injury in, 529–530  
 instability following, assessment of, 513–516  
 loss of motion in, 535–538  
 Lysholm scale for assessment of, 512–513  
 outcomes of, 503–518  
 pain and swelling following, 507–508  
 residual laxity in, 538–539  
 return to sports activities following, 510–512  
 return to work following, 508–510  
 subjective assessment of, 512–513  
 tourniquet complications in, 531–532  
 wound problems in, 532–533  
 posterior of, 391–392  
 posttraumatic arthritis following, prevention of, 516  
 prompt gentle reduction of, 417  
 range of motion following, 504–507  
 measurement of, 506  
 postoperative, 506–507  
 spontaneous, in morbid obesity, 527–528  
 treatment algorithms in, historical perspectives of, 399–413  
 treatment of, controversy concerning, 443–444  
 philosophy of, 447–448  
 treatment options in, 508–509  
 vascular injuries associated with, 393–394, 401–403, 520–521  
 with lateral side injury, 450–454  
 with medial collateral ligament injury, 449–450  
 fracture-dislocations of, 526, 527  
 injuries of, in children, 642  
 in dancers, 726–728  
 in figure skaters, 375  
 in gymnasts, 773, 774–775  
 in skaters, treatment of, 750–751  
 in tennis players, 788  
 lateral collateral ligament and posterior lateral corner of, reconstruction of, rehabilitation following, 561–568  
 lateral side complex of, disruption of, rehabilitation following repair of, 454  
 surgical procedure for repair of, 450–454  
 injuries of, healing of, 445–446  
 ligamentous tears of, magnetic resonance imaging in, 428–430  
 ligaments of. See *Ligament(s), of knee; and specific ligaments*.  
 meniscal and chondral injuries of, magnetic resonance imaging in, 433–434  
 meniscus of. See *Meniscus*.  
 multiple-ligament-injured, during dislocation, operative intervention in, 537

**Knee (Continued)**

- evaluation of, 480–482
- imaging of, 425–441
- ligament healing in, 446–447
- magnetic resonance imaging in, 421
- multiple knee ligament reconstruction in, 537–538
- patient history in, 416
- physical diagnosis of, 415–416
- rehabilitation of, 545–571
  - biomechanics of, 546–550
  - guidelines for, 550–555
  - progression of functional activity during, 555–568
- vascular assessment in, 417–418
- multiple-ligament-injured, clinical pathways for evaluation and treatment of, 545–546
- neurologic injury of, magnetic resonance imaging in, 437–438
- occult fracture of, magnetic resonance imaging in, 428
- posteriorlateral corner of, 420–421
  - injury of, magnetic resonance imaging in, 430–433
- subluxation of, 387
- vascular injury of, magnetic resonance imaging in, 434–437

Knee braces, for treatment of patellofemoral pain syndrome, 321

Knee sleeves, for treatment of patellofemoral pain syndrome, 321

Kyphosis, thoracic. See Scheuermann's kyphosis.

Laser, for shrinkage of capsular tissue in shoulder instability, 64

Leg, in throwing, 148
 

- injuries of, in figure skaters, 375
- in tennis players, 788

Legg-Calve-Perthes disease, 657

Ligament(s). See also specific ligaments.
 

- lateral collateral, 421
- medial collateral, injuries of, healing of, 445
- injury of, assessment of, 419
- of knee, injured. See Knee, multiple-ligament-injured.
  - injury(ies) of, examination for, 418–421
  - in dislocations of knee, 404–410
  - in high-velocity dislocations of knee, treatment of, 474–475
  - tears of, magnetic resonance imaging in, 428–430
  - sports-related injuries of, in young athletes, 639–640

Lisfranc's joint, 731–732

Little league shoulder, 685

Low back pain. See Back pain, low.

Lower back, injuries of, in figure skaters, 376–377

Lower extremity, musculoskeletal injuries to, in skaters, 748–750

Lower limb injuries, in children in sports, 637–662
 

- epidemiology of, 639

Magic angle phenomenon, 433

Magnetic resonance imaging, in meniscal and chondral injuries, 433–434
 

- in multiple-ligament-injured knee, 426–438, 482
- of injury of posterolateral corner of knee, 430–433
- of multiple-ligament-injured knee, 421
- of shoulder instability, 33

March fractures. See Stress fractures.

Medical conditions, in figure skaters, 377–378

Medical considerations, as barriers to exercise, 220–221

Medical examination, for female athletes, 208–209

Medications, oral, for treatment of patellofemoral pain syndrome, 319

Meniscus, cysts of, in immature patient, 628–629
 

- functions of, 626
- injuries of, in immature patient, 625–629
  - diagnosis of, 626–627
  - treatment goals in, 627
  - treatment of, 627–628, 642
    - complications of, 628

Menopause, symptomatology of, 216–217

Menstrual cycle, aerobic performance and, 259, 260–261
 

- and athletic performance, 254–259
- cardiovascular variables and, 255–256
- contraception, and performance, 251–271
- energy metabolism and, 257–258
- estrogen and, 252–253
- muscle strength and, 258–259
- normal physiology of, 252
- phases of, 252–254
- progesterone and, 252–253
- respiratory function and, 256
- thermoregulation and, 256–257

Menstrual function, effect of exercise on, 180–181

Mental health, benefit of exercise on, 179

Metatarsal, fifth, fractures of, in dancers, 355–356

Midfoot, sprains of, in dancers, 354–355

Mini-open repair, and arthroscopic repair of rotator cuff. See Rotator cuff, repair of, mini-open, and arthroscopic.

Mortality, overall, exercise and, 176  
 Motion, loss of, in operatively treated dislocations of knee, 535–538  
 Muscle(s), core, strengthening of, in children and adolescents, 611, 612  
 sports-related injuries of, in young athletes, 639–640  
 Muscle mass, and strength training for children and adolescents, 598–599  
 Muscle strength and recruitment, anterior cruciate ligament injuries and, 295–296  
 Muscular rehabilitation, for treatment of patellofemoral pain syndrome, 320  
 Musculoskeletal injuries, associated with figure skating, 748–752  
 exercise for rehabilitation of, 183  
 in figure skaters, 372  
 Musculoskeletal responses, associated with tennis, 784–785  
 Musculoskeletal system, in childhood, 638

Navicular apophysitis, in gymnasts, 778  
 Navicular problems, in young athletes, 658  
 Neck. See also *Head and neck*.  
 vascular injury of, 711–712  
 return to play following, 712

Nerve(s), iatrogenic injury to, in operatively treated dislocations of knee, 530–531  
 injuries of, associated with dislocations of knee, 394–395, 403–404, 521–532  
 in high-velocity dislocations of knee, treatment of, 472–473  
 of knee, injury of, magnetic resonance imaging in, 437–438  
 Neuromuscular responses, compensatory, in multiple-ligament-injured knee, 553–554  
 Nutrition, assessment of, for female athletes, 209  
 for figure skaters, 371–372, 752  
 Nutrition education, for female athlete, 205–206, 210  
 Nutritional factors, stress fractures and, 307  
 Nutritional status, in overuse injuries in dancers, 358

Obesity, childhood, strength training and, 600–601  
 morbid, spontaneous dislocations of knee in, 527–528  
 O'Brien's test, 130, 131, 136, 145  
 Open kinetic chain exercises, for rehabilitation of multiple-ligament-injured knee, 546–548, 549, 552, 553

Open kinetic single-joint exercises, 227  
 Oral contraceptives, benefits to athletes, 262–266  
 contraindications to, 259–260  
 stress fractures and, 306  
 Orthopedic problems, and exercise in advancing age, 226  
 Os trigonum, 732–733  
 Osgood-Schlatter disease, 651  
 in gymnasts, 774  
 in tennis players, 788  
 Osteoarthritis, 217–218  
 Osteochondral fracture, of patella, 649, 650–651  
 Osteochondral injuries, in dancers, 353  
 Osteochondritis dissecans, 654  
 in gymnasts, 765  
 of shoulder, 689–690  
 Osteoporosis, and female athlete, 202–203, 752–753  
 as major public health problem, 233  
 assessment of, 237–239  
 bone density and, 263  
 bone health and, 233–249  
 prevention of, 234  
 risk factors for, 239–240  
 treatment of, 240–244  
 Ottawa Ankle Rules, 352  
 Overhead athletes, shoulder injuries in, 125–158  
 Overuse injuries, in adolescents,  
 evaluation of, 669–670  
 risk factors for, 666–669  
 in dancers, 356–365  
 extrinsic factors in, 357  
 intrinsic factors in, 357–365  
 in wheelchair athlete, 813  
 risk factors for, 729  
 to soft tissue, in children and adolescents, 606

Pain, and swelling, following operatively treated dislocations of knee, 507–508  
 Panner's disease, 765, 766  
 Patella, anatomy of, 316  
 osteochondral fracture of, 649, 650–651  
 Patella infera syndrome, 536  
 Patellar dislocation, acute, in adolescent, 629–630  
 Patellofemoral pain syndrome, definition of, 315–316  
 in children and adolescents, 324–325  
 in dancers, 726–728  
 in female athlete, 315–329  
 in figure skaters, 375–376  
 in gymnasts, 773–774  
 morbidity associated with, 325  
 pathophysiology and biomechanics of, 316–318

Patellofemoral pain syndrome (*Continued*)  
radiography and magnetic resonance imaging in, 318  
surgery in, indications for, 322-324  
treatment of, 318-324

Patient positioning, for arthroscopic Bankart lesion repair, 52-53

Peel-back phenomenon, dynamic, in shoulder of throwers, 140-141, 142, 143, 144

Pelvic floor, muscles of, integrity of, 218

Pelvis, fractures of, in children, 646-647  
injuries of, in skaters, 751

Perimenopause, definition of, 215

Peroneal tendons, tears or subluxation of, in dancers, 353

Perthes-Bankart lesion, 23

Physical activity, assessment of, for female athletes, 209

Physical examination, adolescent preparticipation. See *Preparticipation examination, adolescent*.

Physical function, in older women, effects of exercise on, 224  
maintenance of, 226-227

Physically challenged athletes. See *Athlete(s), young, with physical challenges*.

Plyometrics, for strength training of children and adolescents, 610-611

Polyglycolic acid tack, bioabsorbable, for Bankart lesion repair, 52

Positive ulnar variance, 763

Postconcussion syndrome, 702

Posterior element overuse syndrome, 771

Posterior impingement syndrome, 732-733

Posterior tibialis tendinitis, 734-735

Postmenopause, definition of, 215

Pregnancy, exercise during, 182, 273-286  
at high altitudes, 277-278  
benefits to offspring, 283-284  
cardiovascular benefits of, 281-282  
long-term maternal benefits of, 282-283  
type of, 275-278

Preparticipation examination, adolescent, 577-592  
demographics of, 579-580  
family history in, 585  
future considerations for, 589  
history of, 578-579  
legal considerations of, 582  
location of, 579-580  
medical examination in, 585-589  
medical history in, 582-583  
objectives of, 582-583  
orthopedic examination in, 587-589  
specifics of, 582-583  
value of, 579-580  
variations from area to area, 577

versus college and professional, 579

Progesterone, actions of, 253-254

Progressive overload, 371

Prostheses, for amputee athletes, 814-815

Psychologic factors, social and economic factors, as barriers to exercise, 219-220

Psychological issues, in figure skating, 753

Psychosocial benefits, of strength training, 601

Psychosocial history, of female athletes, 209

Quadriplegia, following cervical spine injury, 707  
transient, 709-711

Radiography, plain, in multiple-ligament-injured knee, 425-426  
of shoulder instability, 33

Radius, distal, stress Salter type I fracture of, 761-763

Range of motion, following dislocations of knee, 504-507

Rehabilitation, of multiple-ligament-injured knee, 545-571

Resistive exercises, for rehabilitation of multiple-ligament-injured knee, 552-553

Respiratory system, oral contraceptives and, 264

Rest, relative, for treatment of patellofemoral pain syndrome, 319

Roller boards, in rehabilitation of multiple-ligament-injured knee, 554-555

Rotator cuff, disease of, impingement and SLAP lesions in, 117

SLAP lesions in, 117-118

injuries of, in children, 688-689  
repair of, arthroscopic, advantages of, 79  
anchors for, 84-88  
arthroscopic portals for, 80  
assessment of, 88  
decision for use of, 79  
in partial cuff tears, 92-93  
indications for, 90  
inspection of glenohumeral joint for, 80-82  
osseous funnels versus anchors for, 90-91  
results of, 94-95  
rotator cuff preparation for, 83-84, 85  
screws and staples for, 88  
suture anchors for, 91-92  
suture selection for, 92  
mini-open, and arthroscopic, 77-99

débridement and decompression for, 82–83  
 indications for, 78–80  
 postoperative rehabilitation following, 90  
 surgical technique for, 80–83  
 incision for, 89–90  
 preparation for, 79–80  
 results of, 93–94  
 rotator cuff preparation for, 88  
 transition from, to arthroscopic, 95–96  
 tear(s) of, acute, SLAP lesions and, 117  
 associated with type 2 SLAP lesions, 137–138, 144  
 chronic thickness, SLAP lesions and, 117–118  
**Rotator interval**, 25–26  
 capsular defect, 25  
**Rugby**, head and neck injuries associated with, 695

**Sacroiliitis**, 673–674  
**Scaphoid impaction syndrome**, 764  
**Scaphoid stress fracture**, 764  
**Scapula**, fractures of, 685–686  
 in throwing, 148–151  
**Scapular assistance test**, 151–152  
**Scapular dyskinesis**, 149–151  
**Scapular exercise(s)**, kinetic chain, 153–154  
**Scapular retraction test**, 152  
**Scar formation**, following operative treatment of knee dislocations, 535–536  
**Scheuermann's kyphosis**, 674  
 atypical, 674  
 in gymnasts, 771–772  
**Screws and staples**, for arthroscopic repair of rotator cuff, 88  
**Scuba diving**, during pregnancy, 277  
**Second impact syndrome**, 703–704  
**Sensory impairment**, athletes with, 815–817  
**Sesamoid fractures/stress fractures**, 736  
**Sesamoiditis**, 736  
**Sesmoid disorders**, in dancers, 364–365  
**Sever's disease**, 649, 651–654, 656  
 in gymnasts, 777–778  
**Sexual abuse**, definition of, 187, 188  
 process of, 191–192  
 protection against, 195  
**Sexual exploitation**, of women in sports, research on, 189–190  
**Sexual harassment**, definition of, 187, 188  
 process of, 190–191  
**Shoulder**, anatomy and biomechanics of, 332–336  
 impingement symptoms in, 117  
 injuries of, in childhood athlete, 681–692  
 in gymnast, 768–769  
 in overhead athletes, 125–158  
 “circle concept” of, 144–145  
 historical perspective on, 127–129  
 in tennis players, 786  
 treatment of, evolution of, 125–126  
**Instability** of, arthroscopic techniques in, 28–32  
 arthroscopic versus open Bankart repair for, 19–48  
**Bankart lesion** of. See *Bankart lesion*.  
**laser** for shrinkage of capsular tissue in, 64  
**multidirectional**, 63  
 diagnosis of, history and physical examination in, 336–339  
 imaging in, 339–340  
 in female athlete, 331–349  
 inferior capsular shift for, 64  
 inferior capsule shift for, 345–346  
 treatment of, conservative, 340–341, 342, 343  
 surgical, 341–347  
**nonsurgical** treatment of, 102  
**open and arthroscopic stabilization** of, and radiographic evaluation of instability, 33–34  
 comparisons of, 31–32  
 patient selection for, 32–35  
 procedure selection for, 35–37  
 results following, 37–32  
 treatment algorithm for, 37–40  
**soft tissue** stabilization in, procedures for, 102  
 surgical treatment of, success of, 102  
 traumatic anterior, pathology of, 23–27  
**instable**, management of, arthroscopic approaches for, 1–158  
**mid-range of motion** of, stabilizing factors in, 101–102  
**of throwers**, dynamic peel-back phenomenon in, 140–141, 142, 143, 144  
 posterosuperior instability in, 141–146  
**stability** of, anatomy of, 20–22  
 classification of, 22–23  
**Shoulder capsule**, 25, 332, 333  
 laxity of, symptomatic, thermal versus suture treatment of, 63–75  
 treatment of, associated procedures performed with, 65  
 focus of, 63–64  
 materials and methods for, 64–66  
 operative technique for, 66–67, 68–69  
 results of, 67–72  
**posterior**, arthroscopic repair of, 101–114  
 débridement for, 105, 106  
 examination of glenohumeral joint for, 105

Shoulder capsule (*Continued*)  
 motion, laxity, and stability tests for, 103–105  
 operative technique for, 103–109  
 plication of rotator interval capsule in, 107, 108  
 postoperative care following, 108–109  
 results of, 109–111  
 studies of, 102–103  
 suturing in, 105–107  
 instability of, anatomic deformities in, 101  
 incidence of, 101  
 posteroinferior contracture of, as “shoulder at risk,” 154–155  
 tight posterior inferior, 146  
 Shoulder strengthening exercises, 341, 342  
 Sinding-Larsen-Johansson syndrome, in gymnasts, 774, 775  
 Sinus tarsi syndrome, 657–658  
 Skater, young, 741–755  
 Skiing, head and neck injuries associated with, 697  
 Skill, level of, noncontact anterior cruciate ligament injuries and, 294–295  
 SLAP lesion(s), 115–124  
 in rotator cuff disease, 117–118  
 repair of, operative techniques for, 118–123  
 postoperative management following, 123  
 technical challenges in, 122–123  
 symptoms of, 116–117  
 type 1, 119  
 technique for repair of, 119  
 type 2, 116  
 associated with throwing, 125, 128–129  
 biomechanics of, 140–146  
 in throwers, 125, 128–129, 146–151  
 mechanism of injury in, 129–130  
 preoperative tests in, 130–131  
 repair of, arthroscopic, 131–133, 134–135  
 clinical results of, 138–140  
 rehabilitation following, 133–136  
 results of, 136–137  
 clinical aspects of, 129–140  
 materials and methods for, 129–136  
 technique for, 119–121  
 rotator cuff tears associated with, 137–138, 144  
 type 3, 116  
 technique for repair of, 122  
 type 4, 116  
 technique for repair of, 122  
 “Snapping hip syndrome,” 725–726  
 Soccer, head and neck injuries associated with, 695  
 Speed’s test, 130, 131, 136, 145  
 Spine, anatomy of, 698–699  
 fracture of, 707  
 hypermobility of, in children, 707–708  
 injuries of, in gymnast, 769–773  
 in skaters, 751  
 types of, 707–712  
 injuries to, causes of, 698–700  
 types of, 699–701  
 Spinning, during pregnancy, 276  
 Spondylolisthesis, 672  
 in dancers, 724  
 in skaters, 751  
 treatment of, 724  
 Spondylolysis, 670–672, 720  
 as overuse injury, 720–721  
 diagnosis of, 722–723  
 in dancers, 721–722, 723  
 in gymnasts, 769–771  
 in skaters, 751  
 treatment of, 723  
 Sports, classification of, by contact, 592  
 participation in, by adolescents, medical conditions affecting, 592  
 women in. See *Female athletes; Woman (women), in sports*.  
 Sports organizations, risk factors associated with, 193–194  
 Sports-related injuries, in children, coaching education and, 826  
 factors contributing to, 822–825  
 incidence of, 821  
 mechanisms of, 822  
 prevention of, 821–834  
 barriers to, 829–832  
 consensus statement concerning, 827–829  
 strategies for, 826–829  
 low-velocity knee dislocation with, 443–456  
 pediatric and adolescent, 577–584  
 strength training in prevention of, 602–605  
 Sprains, in adolescents, 666  
 Staple capsulorrhaphy, arthroscopic, 28, 29  
 “Stingers,” 708–709  
 Strength, oral contraceptives and, 265  
 Strength training, effects of, on older woman, 222–224  
 for children and adolescents, 593–619  
 concerns associated with, 605–606  
 effectiveness of, 594–599  
 for self-improvement, 607  
 growth spurt and, 607–608  
 guidelines for, 606–614  
 health-related benefits of, 599–601  
 mechanisms of strength gains and, 597–599  
 methods of evaluating response to, 612–613

mode of training for, 608–609  
 motor skills and sports performance enhancement in, 601–602  
 physical ability and, 613  
 prevention of injuries and, 602–605  
 program design considerations and, 613  
 quality of instruction for, 608  
 rate of progression of, 611–612  
 reduced, effects of, 596–597  
 training response and, 596  
 for figure skaters, 370–371

**Strength training exercises**, for improving function, 227–228

**Stress fractures**, clinical presentation of, 308–309  
 diagnosis of, 308–309  
 diagnostic imaging in, 309  
 epidemiology of, 303–304  
 in adolescents, 657  
 in dancers, 356, 362–363  
 in women, 303–314  
 of second metatarsal, 731–732  
 of tibia and fibula, 728–730  
 risk factors for, 304–308  
 treatment of, conservative, 309–310  
 surgical, 310–311

**Subacromial decompression**, arthroscopic technique for, 77–78

**Subscapularis tendon**, 344

**Suture anchors**, arthroscopic placement of, for repair of shoulder instability, 30–31  
 for arthroscopic repair of rotator cuff, 91–92

**Sutures**, selection of, for arthroscopic repair of rotator cuff, 92  
 transglenoid, for repair of shoulder instability, 29, 30

**Swimming**, during pregnancy, 276

**Sympathetic nervous system**, disorders of, International Association for Study of Pain and, 534–535

**Taping**, patellar, for treatment of patellofemoral pain syndrome, 321

**Tarsal coalitions**, 657

**Tendinitis**, Achilles', 730–731, 748  
 flexor hallucis longus, 732  
 iliopsoas, 725–726  
 in skaters, 748–749

**Tendinopathy**, of lower extremity, in children, 640

**Tendon(s)**, flexor hallucis longus, dysfunction of, in dancers, 363  
 sports-related injuries of, in young athletes, 639–640  
 subscapularis, 344  
 tears or subluxation of, in dancers, 353

**Tennis**, biomechanics and skill acquisition in, 785  
 maladaptations and inherent demands of, 783–784  
 musculoskeletal responses associated with, 784–785  
 orthopedic injuries in, 786–789

**Tennis elbow**, 787

**Tennis player(s)**, young, injuries in, and special concerns, 786  
 epidemiology of, 781–782, 783  
 mechanisms of, 783  
 treatment of, 789

**musculoskeletal injuries in**, 781–792  
 prehabilitation for, 790

**Tennis shoulder**, 786

**Throwers**, shoulder of, dynamic peel-back phenomenon in, 140–141, 142, 143, 144  
 posterosuperior instability in, 141–146

**Throwing**, acceleration versus deceleration injury in, 146–147  
 leg and trunk in, 148  
 overhead, injuries associated with, glenoid labral tears and, 127  
 historical perspective on, 127  
 impingement and, 127  
 impingement-instability and, 127  
 scapula in, 148–151  
 type 2 SLAP injuries associated with, 125, 128–129, 146–151

**Tibia**, fractures of, in children, 649, 650  
 stress fractures of, 728–730

**Tibial eminence fractures**, in children, classification of, 631–632  
 mechanism of, 630  
 rehabilitation following, 632  
 surgical management of, 631–632  
 symptoms of, 630–631

**Tibiofibular joint**, proximal, dislocation of, dislocation of knee and, 527

**Tilt boards**, in rehabilitation of multiple-ligament-injured knee, 554–555

**Tourniquets**, complications associated with, in operatively treated dislocations of knee, 531–532

**Trampolines**, head and neck injuries associated with, 696  
 pediatric knee dislocations associated with, 528

**Transglenoid sutures**, for repair of shoulder instability, 29, 30

**Triangular fibrocartilage complex tears**, 763

**Trunk**, in throwing, 148

**Ulnar impaction syndrome**, 763–764

**Ultrasound**, quantitative, to assess bone health, 238–239

Upper extremity, injuries of, in gymnasts, 760-773  
in skaters, 752  
Urinary incontinence, as barrier to exercise, 219

Vascular injury, of spine, 711-712  
Vertebrae, traditional, 673  
Visual impairment, athletes with, 815-816

Walking, during pregnancy, 276-277  
Weight cycling, in figure skaters, 377  
Weight training, during pregnancy, 277  
Wellness, personal, issues of, for female athlete, 206  
Wheelchair athlete, 801-808  
autonomic dysreflexia and, 810  
orthopedic concerns of, 812-813  
pressure sores and, 810-811  
seizures in, 811-812  
thermal regulation for, 812-813  
Woman (women), athletic, 163-380

exercise for, benefits of, 175-185  
gender-specific benefits of, 179-183  
guidelines for, 175  
in sports, benefits derived from, 165  
current participation of, 164  
economics of, 166-168  
former restriction of, 163  
media support for, 168-169  
modern history of, 163-173  
sexual exploitation of, research on, 189-190  
spirit and values in, 169-170  
older, physical function in, maintenance of, 226-227  
perimenopausal, problems in, 216-219  
symptoms reported by, 216-217  
physical inferiority of, challenge of, 170-171  
postmenopausal, problems in, 216-219  
symptoms reported by, 216-217  
professional team sports for, 169  
stress fractures in, 303-314  
Wound problems, in operatively treated dislocations of knee, 532-533  
Wrist, injuries of, in gymnast, 761-764  
in tennis players, 787

